Banknote Strapping Machine JB-410









Features:

- Applicable Scope: This machine, catering to the specification requirement of 6-16mm, is applicable to the intact and scathing cash currencies of RMB with face value from 1 cent to 100 RMB.
- Strapping Speed:Lower than 35 seconds for one bundle. Press "Start" button once, manual steering twice, pressing three times, and all the strapping actions will be completed in 35 seconds.
- Strapping Height: As the openness of the cash feeding section is smaller than 200mm, thus the machine can be used in the strapping of various old and scathing cash currencies.
- Strapping Quality: This machine may realize double-cross plain and
 five-point sealing. The cohered section of the strapping tapes is equal to
 or higher than 80%. The binder is firm and intact, and fully catering to the
 requirement of "Five-good standards" as specified by the People's Bank of China.
- Safety Performance: The machine is designed a safety detection device.
 If you insert your hands into the cash feeding section, the machine will release the pressing plate, stop and send off an alarm. Besides, it can detect failure automatically with the failures displayed on the liquid screen in Chinese.
- Environmental Protection: The machine produces noise lower than 65 db, is dust-free, electromagnetic radiation free and gas pollution free, and harmless to human being.
- Cosmetic :Innovative in structure, simple and practicable, beauty in appearance. It can be arranged freely with the model of desktop or upright according to your actual needs.





Specifications:

Power supply: AC 220(1±10%)V 50Hz

Power dissipation: average: 150W, maximum: 375W

Strapping range: Minimum strapping range (L×W×H) 110×52×80mm

Maximum strapping range (L×W×H) 180×80×170mm

Tape specification: (W×T) 12×0.5mm,14×0.5mm,16×0.25mm, 6×0.7mm

Strapping speed: lower than 35 seconds for each bundle

Pressing strength: >6000N

Strapping strength: >200N

Dimensions: (L×W×H) 480×340×545 mm

Weight: 55kg



EB International Group Limited www.easy-banker.com